



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/581,476	06/14/2000	RAYMOND O'BRIEN	P65632USO 1344		
136	7590 06/10/2004		EXAMINER		
JACOBSON HOLMAN PLLC 400 SEVENTH STREET N.W.			LY, ANH VU H		
SUITE 600 WASHINGTON, DC 20004			ART UNIT	PAPER NUMBER	
			2667	10	
			DATE MAILED: 06/10/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

h

	.			
		Application No.	Applicant(s)	
Office Action Summary		09/581,476	O'BRIEN ET AL.	
		Examiner	Art Unit	
•		Anh-Vu H Ly	2667	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the	correspondence address	;
THE I - Exter after - If the - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be y within the statutory minimum of thirty (30) d vill apply and will expire SIX (6) MONTHS fro , cause the application to become ABANDON	timely filed ays will be considered timely. m the mailing date of this communi IED (35 U.S.C. § 133).	cation.
Status				
1)🛛	Responsive to communication(s) filed on 29 M	arch 2004.		
•		action is non-final.		
· · ·	Since this application is in condition for allower closed in accordance with the practice under E	•		its is
Dispositi	on of Claims			
4)⊠ 5)□ 6)⊠ 7)□ 8)□	Claim(s) 1,3-15 and 17-19 is/are pending in the 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1,3-15 and 17-19 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or on Papers	wn from consideration.		
9)[The specification is objected to by the Examine	r.		
10) 🗌	The drawing(s) filed on is/are: a)☐ acc	epted or b)□ objected to by the	Examiner.	
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. S	ee 37 CFR 1.85(a).	
11)[Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex		-	
Priority u	inder 35 U.S.C. § 119			
12) a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureausee the attached detailed Office action for a list	s have been received. s have been received in Applica rity documents have been recei u (PCT Rule 17.2(a)).	ntion No ved in this National Stage	Э
Attachmen	• •	0 🗆	(DTO 442)	
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summa Paper No(s)/Mail		
3) 🔲 Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date		Patent Application (PTO-152)	

Art Unit: 2667

DETAILED ACTION

Response to Amendment

1. This communication is in response to applicant's amendment filed March 29, 2004. The proposed amendment to the claims has been entered. Claims 1, 3-15, and 17-19 are pending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

2. Claims 1, 3-15, and 17-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Frey et al (US Patent No. 5,982,783). Hereinafter, referred to as Frey.

With respect to claims 1 and 17, Frey discloses in Fig. 4 that the PNC comprising a TSI 205 (TDM bus) and TDM 204 (a system TDM interface) for voice transmissions over the ATM network 100 (Fig. 1). Herein, the TDM 204 transmits TDM signals on the TSI 205 bus and receives TDM signals from the TSI 205 bus (a system TDM interface coupled to TDM bus, that

Art Unit: 2667

Page 3

transmits TDM signals on the TDM bus and receives TDM signals from the TDM bus). Further, Frey discloses in Fig. 4 that, the ATM cells are received at the physical 210 (a system packet communication interface). Furthermore, as shown in Fig. 4, once the ATM cells received at the physical 210, cells are moved to the AAL layers for transforming into TDM signals. Herein, the movement of the ATM cells between the physical 210 and the AAL layers is on a packet bus (bus is needed for forwarding ATM cells), it should be understood that the format of the received ATM cells is still packetized voice, therefore, it is a packet bus (a system packet communication interface coupled to the packet bus, that places packet communication cells on the packet bus and receives packet communication cells from the packet bus). As shown in Fig. 4, the PNC comprising the ATM protocol stacks 252 (a conversion unit), located between the physical 210 interface (packet interface) and the TDM 204 interface (TDM interface), for converting TDM signals to ATM cells for transmitting over the ATM network and vice versa (a conversion unit connected between the TDM bus and the packet bus that performs bi-directional TDM-packet format conversion between the system TDM interface and the system packet communication interface).

With respect to claim 2, Frey discloses in Fig. 4, that the ATM protocol stacks comprising different ATM adaptation layers such as layer 1, layer 2, and layer 5 (wherein the conversion unit comprising at least one service specific adaptation module).

Art Unit: 2667

With respect to claim 4, Frey discloses in Fig. 5, the PNC comprising processor 303 for controlling the operations of circuits in the PNC (system comprising a system controller that controls operation of circuits in the system).

With respect to claims 5 and 18, Frey discloses in Fig. 5, processor 303 connected to the network receive processor 305 via packet bus (system controller is connected to the packet bus).

With respect to claim 6, Frey discloses in Fig. 5, processor 303 connected to network receiver processor 305 via packet bus and TDM 300 via TDM bus for sending and receiving control signals (system controller transmits and receives system signals via the packet bus to the packet communication interface and transmits and receives system control signals to the system TDM interface via separate TDM control signal link).

With respect to claim 7, Frey discloses in Fig. 5 that ATM cells are received at network processor 305 and controlled by the processor 303 therefore control signals are in ATM cells (wherein control signals are cells such as ATM cells).

With respect to claims 8 and 19, Frey discloses (col. 5, lines 18-25) that the ATM layer 211 processes a stream of ATM cells. The layer is responsible for cell multiplexing and demultiplexing based on VPI/VCI, cell virtual path identifier/virtual channel identifier pair translation to the proper VPI/VCI pair for the output link, cell header generation/extraction and interpretation (the control signals are cells such as ATM cells and the system packet

communication interface and the conversion unit add an additional header to each cell to direct routing of the cells within the system), and generic flow control for media access on the user network interface side of the network.

With respect to claims 9 and 11, Frey discloses in Fig. 4 that the PNC comprising a number of ATM adaptation layers, each is responsible for segmentation/reassembly and convergence. Therefore, each layer has a processor attached to the layer for carrying the operation of segmentation/reassembly and convergence functions (wherein each adaptation module comprising a cell processor connected to an adaptation circuit).

With respect to claim 10, Frey discloses in Fig. 5, that the control signals received by the network processor 305 (a control processor) from the processor 303. Herein, the cell processor of the adaptation layers, at the interface of the processor 305 and processor 303, received the control signals and routed to the processor 305 (wherein each adaptation module further comprising a control processor, and the cell processor routes the control signal cells to the control processor).

With respect to claim 12, Frey discloses (col. 9, lines 27-32) that ATM traffic cells are received from ATM network 100. PNC circuit processes of ATM cells up to ATM protocol stack 252 to strip them of ATM headers and to reassemble them into a traffic stream at the same adaptation layer 212-214 (wherein cell processor strips additional headers from cells are they are routed to the segmentation and reassembly circuit).

· Art Unit: 2667

Page 6

With respect to claim 13, the limitations "wherein the cell processor maintains a plurality of output queues for routing of cells to TDM bus, and the queues being maintained on a priority scheme according to VPI/VCI headers" are inherent to Frey. Frey discloses in Fig. 4, that ATM cells are converted to TDM signals for transmission over the TDM bus therefore, buffers are needed at the adaptation layers for storing ATM cells for transmission over the TDM bus. Further, as shown in Fig. 4, there are a number of adaptation layers corresponding to different characteristics of communications such as time sensitive applications and time insensitive applications, therefore, ATM cells associated with time sensitive applications are given higher priority than ATM cells associated with time insensitive applications.

With respect to claim 14, Frey discloses (col. 8, lines 11-15) that at the DLCI xlate layer 203, the board address, port number, and the DLCI of the packet are mapped into VCV and to a new board address, port number, and DLCI, by using the contents of a translation table (wherein each cell processor comprising a mapping function for addition of the additional headers).

With respect to claim 15, Frey discloses in Fig. 5, the network receive processor 305 and network transmit processor 304 are implemented on an integrated circuit chip (wherein cell processor comprising a dedicated ASIC).

Response to Arguments

3. Applicant's arguments with respect to claims 1, 3-15, and 17-19 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 2667

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh-Vu H Ly whose telephone number is 703-306-5675. The examiner can normally be reached on Monday-Friday 7:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 703-305-4378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2667

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

avl

CHI PHAM

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600 76-1